

II. LISTING OF THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-8. (canceled)

9. (currently amended) ~~One piece integrally molded frame members as claimed in Claim 1~~ **First and second one piece integrally molded area circumscribing frame members that fit against one another to form a support frame circumscribing an area therewithin and defining an article retaining channel between said first and second frame members, said channel opening into said area circumscribed by said support frame and extending therearound;** in which at least one of said frame members is further formed to fit against a third one piece integrally molded area circumscribing frame member to form a second support frame having a retaining channel which opens into the area circumscribed by said second support frame and extends therearound.

Claims 10 - 15. (canceled).

16. (currently amended) ~~The first~~ **First** and second frame members ~~as claimed in of Claim 22~~ in combination with a third rectangular frame member of one piece molded construction configured to fit against and form with one of the aforesaid frame members a second frame in which said one of said frame members forms one side of said second frame and said third frame members forms the other side of said second frame.

Claims 17 - 19. (canceled)

20. (currently amended) First and second one piece integrally molded area circumscribing frame members that fit against one another to form a support frame circumscribing an area therewithin and defining an article retaining channel between said first and second frame members, said channel opening into said area circumscribed by said support frame and extending therearound, said frame members having laterally projecting peripheral walls extending around their outer perimeters which abut when said frame members are fitted together to define said retaining channel, said frame members further having at their inner perimeters at least for

~~proportions~~ portions of the circumscribed area integral laterally projecting lips which, upon said members being fitted together, face each other with a space therebetween to form slotted walls overlaying at least portions of said retaining channel reducing openness of said channel into said circumscribed area in said slotted wall portions to said space between said lips.

21. (canceled)

22. (previously presented) First and second one piece integrally molded area circumscribing frame members that fit against one another to form a support frame circumscribing an area therewithin and defining an article of retaining channel between said first and second frame members, said channel opening into said area circumscribed by said support frame and extending therearound, said first and second frame members each configured to form opposite sides of a sliding window unit frame, at least one of said frame sides having an integral laterally projecting wall at is outer perimeter which spaces said opposite frame sides from one another when the same are assembled, both said one piece frame members having at their inner perimeters an integral lip having a width less than one half the spacing of said spaced opposite frame sides, said lips projecting inwardly of said frame sides when assembled to form inner walls having slots therethrough overlying at least portions of said retaining channel reducing openness of said channel into said circumscribed area in said portions to said slots.

23. (new) First and second one piece integrally molded area circumscribing frame members that fit against one another at their outer perimeters to form a support frame circumscribing an area therewithin and defining an article retaining channel between said first and second frame members, said channel opening into said area circumscribed by said support frame and extending therearound;

said first and second frame members configured to form on assembly face to face spaced opposite sides of a window frame, at least one of said frame members having at the outer perimeter thereof a laterally projecting wall which spaces such opposite sides from one another and defines said retaining channel as a window unit retaining channel

in combination with a third one piece molded area circumscribing rectangular frame member configured for assembly with one of said first and second frame members to form an adjoining frame having a window retaining channel.

24. (new) The first and second frame members of claim 23, wherein said frame members have at least over a portion of their inner perimeters integral inwardly projecting lips having a width less than half the spacing between said spaced opposite sides of said window frame.